

Bangladesh Textile Mills Corporation  
Quality Control Department  
BTMC Bhaban  
7-9, Kawranbazar, Dhaka-1215.

Ref. No.24.03.0000.104.27.112.18-26

Dated: 24-05-2018


To,  
Trade Exchange,  
Tanbazar Narayanganj.

Subject: Test Report of 04 (Four) No Yarn Sample.

**TEST RESULTS OF YARN**

Sl. No.	Nominal Count	ACTUAL			USTER RESULT			
		Count	C.S.P	T.P.I	U%	Thin places/ 1000 m.	Thick places/ 1000 m.	Neps/ 1000 m.
01.	Semple no-1	Max: 49.85	-	-	-	-	-	-
		Min: 49.00	-	-				
		Avg: 49.80	-	-				
02.	Semple no-2	Max: 45.64	-	-	-	-	-	-
		Min: 44.38	-	-				
		Avg: 45.00	-	-				
03.	Semple no-3	Max: 50.62	-	-				
		Min: 46.28	-	-				
		Avg: 48.40	-	-				
04.	Semple no-4	Max: 46.95	-	-				
		Min: 44.00	-	-				
		Avg: 45.66	-	-				
		Max:						
		Min:						
		Avg:						
		Max:						
		Min:						
		Avg:						
		Max:						
		Min:						
		Avg:						

  
Asstt. Quality control officer

  
Manager (Production)

  
General Manager (Tech)